




**SEC~E-E
TYP. EDGE ANGLE DETAIL**



**SEC~D-D @
JOIST. BEAM (TYP.)**




DECK PANEL SHOWING PANEL FASTENERS




BEAM TO JOIST(J1) CONN. (TYP)

NOTE : IN SHEAR CONNECTION, A MINIMUM OF ONE ROW OF BOLTS SHOULD CROSS THE C.L. OF THE BEAM OR JOIST.




BEAM TO JOIST(J2) CONN. (TYP)

NOTE : IN SHEAR CONNECTION, A MINIMUM OF ONE ROW OF BOLTS SHOULD CROSS THE C.L. OF THE BEAM OR JOIST.




DECK PANEL DETAIL




DECK PANEL END LAP DETAIL

BOLTS=HSB24-12NO'S
PLATE THK.=25
6mm THK STIFFENER




DETAIL OF B/C/E

BOLTS=HSB24-8NO'S
PLATE THK.=25
6mm THK STIFFENER




DETAIL OF D/F

BOLTS=HSB20-8NO'S
PLATE THK.=20
6mm THK STIFFENER




DETAIL OF G

BOLTS=HSB24-8NO'S
PLATE THK.=20
6mm THK STIFFENER




DETAIL OF S1

BOLTS=HSB20-4NO'S
PLATE THK.=20
6mm THK STIFFENER




DETAIL OF X

BOLTS=HSB30-12NO'S
PLATE THK.=32
6mm THK STIFFENER




DETAIL OF D1

BOLTS=HSB24-8NO'S
PLATE THK.=20
6mm THK STIFFENER



DETAIL OF J

FOR REFERENCE ONLY



TITLE : CONNECTION DETAIL

CLIENT :

DESIGN	SIGN	DATE
DRN. BY.		13.09.2025
CHKD. BY.		
APPD. BY.		

SHEET NO. : 06 OF 13
TOTAL SHEET : 13 NOS.
DRAWING NO. :
SIPL/ENQ-----